

**Oneida County Health Department
Community Conversation Posters Sources Page**

| Social Drivers/Social Determinant of Health | | | | |
|---|---|-----------|-----------------------------|---|
| Poster Title/Theme: Access to safe & affordable housing | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Ownership of occupied units | The percent of people in the county that either rent or own the house they live in. | 2017-2021 | Census Bureau | https://censusreporter.org/profiles/05000US55085-oneida-county-wi/#geographical-mobility |
| Cost burdened & severely cost burdened households | The percent of households that spend 30% and 50% of their income on housing. | 2017-2021 | North Region Housing Survey | https://www.ncwrpc.org/ncwrpc2021/documents/Grow-North-Region-Housing-Study.pdf |

| Social Drivers/Social Determinant of Health | | | | |
|---|---|-----------|---|--|
| Poster Title/Theme: Access to affordable healthy foods | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Number of households receiving SNAP benefits | The number of households on Supplemental Nutrition Assistance Program (SNAP) benefits, provides nutrition benefits to supplement the food budget of needy families so they can purchase healthy food and move towards self-sufficiency. | 2021 | Census Bureau | S2201: FOOD STAMPS/SUPPLEMENTAL ... - Census Bureau Tables |
| Food Insecurity Rate | The percent of the population in Oneida county experiencing food insecurity at some point. Food Insecurity is the condition of not having access to sufficient food, or food of an adequate quality, to meet one's basic needs | 2021 | Metop.io | https://metop.io/i/irk1fgc1 |
| Students who experienced hunger due to the lack of food at home | The percent of middle and high school students who experienced hunger in the last 30 days due to a lack of food at home. | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |
| Food insecure population below SNAP, other nutrition programs threshold of 200% poverty | The percentage of estimated food insecure population by income category, according to the eligibility thresholds of the major federal nutrition assistance programs, including SNAP and other programs such as WIC. | 2017-2021 | Feeding America | Overall (all ages) Hunger & Poverty in the United States Map the Meal Gap (feedingamerica.org) |

| Social Drivers/Social Determinant of Health | | | | |
|--|--|-----------|--------------------|---|
| Poster Title/Theme: Access to affordable health care | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Visited doctor for routine checkup | Percent of resident adults aged 18 and older who report having been to a doctor for a routine checkup | 2018-2020 | Metop.io | https://metop.io/i/mptd3mew |
| Primary care providers per capita | Number of physicians in primary care (general practice, internal medicine, obstetrics and gynecology, or pediatrics) per 100,000 residents. Includes hospital residents. Excludes federal physicians and physicians age 75 or older. | 2015-2020 | Metop.io | https://metop.io/i/295t4itx |
| Breast cancer screening | The percent of females aged 50-74 years old that received an annual breast cancer screening. | 2020 | CDC-PLACES (BRFSS) | USCS Data Visualizations - CDC |
| Mental health providers per capita | Number of mental health providers per 100,000 residents, such as psychiatrists, psychologists, and specialists in addiction medicine, counseling, therapy, and behavioral health. Includes advanced practice nurses and nurse practitioners. | 2021 | Metop.io | https://metop.io/i/7w5dofw1 |
| Dentists per capita | Number of professionally active dentists, federal and non-federal, per 100,000 residents. | 2015-2022 | Metop.io | https://metop.io/i/kp4exmx3 |
| Cervical cancer screening | The percent of females aged 21-65 years old that received an annual cervical cancer screening. | 2020 | CDC-PLACES (BRFSS) | USCS Data Visualizations - CDC |

**Oneida County Health Department
Community Conversation Posters Sources Page**

| Social Drivers/Social Determinant of Health | | | | |
|---|--|-----------|----------|---|
| Poster Title/Theme: Built Environment & Neighborhoods | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| No vehicle available | Percent of occupied households with no vehicles available. | 2012-2021 | Metop.io | https://metop.io/i/5vxnu4y9 |
| Environmental burden index | Composite index consisting of a place's exposure to harmful environmental factors relating to air quality, pollution, and built environment. Higher values indicate a larger burden | 2022 | Metop.io | https://metop.io/i/34zazoea |
| Lead paint environmental justice index | Weighted index of vulnerability to lead paint exposure. Measures exposure to housing built before 1960 and at risk of containing lead, weighted by population vulnerability and reported as a percentile nationally, where 0 = lowest exposure, and 100 = highest exposure. Weighting by the vulnerability of residents can provide a better estimate of the disproportionate impact of environmental hazards. | 2015-2021 | Metop.io | https://metop.io/i/e9s2fc9q |
| Walkability Index | A ranking of an area's walkability, based on intersection density, proximity to transit, diversity of businesses, and density of housing. Values range from 1 to 20 with 20 being most walkable | 2022 | Metop.io | https://metop.io/i/73fp6vsx |

| Social Drivers/Social Determinant of Health | | | | |
|--|--|-----------|--|---|
| Poster Title/Theme: Access to affordable childcare | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Recent child and in the labor force | Percentage of women who gave birth in the past 12 months who are currently in the labor force (including part-time and remote work). | 2012-2021 | Metop.io | https://metop.io/i/ygr42g9p |
| Map of childcare facilities | Map of Oneida county with the locations of childcare facilities (as of 05/15/23) | 2023 | Wisconsin Child Care Regulatory System | Wisconsin Licensed Child Care Directories - Including Licensed Exempt Programs Operated by Public Schools and Head Start Programs |
| Licensed childcare programs | The number of licensed childcare programs broken down by type.(as of 05/15/23) | 2023 | Wisconsin Child Care Regulatory System | Wisconsin Licensed Child Care Directories - Including Licensed Exempt Programs Operated by Public Schools and Head Start Programs |
| Full & part time daycares | The number of full and part time daycare programs (as of 05/15/23) | 2023 | Wisconsin Child Care Regulatory System | Wisconsin Licensed Child Care Directories - Including Licensed Exempt Programs Operated by Public Schools and Head Start Programs |

**Oneida County Health Department
Community Conversation Posters Sources Page**

| Health Behaviors | | | | |
|----------------------------------|---|-----------|---|---|
| Poster Title/Theme: Alcohol Use | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Alcohol related deaths | The number of alcohol attributed deaths. | 2016-2021 | DHS Interactive Dashboard: Alcohol Death | https://dhs.wisconsin.gov/alcohol/deaths-county.htm |
| Binge drinking | Percent of adults aged 18 and older who report having five or more drinks (men) or four or more drinks (women) on an occasion in the past 30 days. Alcohol use is likely seriously underreported, so these estimates are an extreme lower bound on actual binge drinking prevalence. | 2015-2020 | Metop.io | https://metop.io/i/95bxwfvq |
| Binge drinking cost per resident | The cost per resident for binge drinking. | 2019 | UW: Population Health Institute | https://uwphi.pophealth.wisc.edu/wp-content/uploads/sites/316/2019/10/The-Burden-of-Binge-Drinking-in-Wisconsin-Full-Report-2.pdf |
| Student alcohol data | The percent of high school and middle school students who: <ul style="list-style-type: none"> • Drank alcohol in the past 30 days • Had at least one drink in the past 30 days • Have ever had an alcoholic drink • Had their first drink before the age 13 • Binge drank in the past 30 days • Rode with a driver who had been drinking • Texted and/or drank while driving in the past 30 days | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |

| Health Behaviors | | | | |
|--|---|-----------|---|--|
| Poster Title/Theme: Substance Use | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Opioid deaths | Opioid deaths per 100,000 people, broken down by deaths involving opioids, synthetic opioids, and heroin. | 2021 | Dose of Reality | Dose of Reality: Opioid Treatment Data by County Dashboard Wisconsin Department of Health Services |
| Opioid treatment | The rate of adults with opioid use disorder who received treatment through authorized services for the tri-county. (Forest, Oneida, and Vilas) | 2016-2020 | | |
| Students who were offered, sold or given drugs | The percent of high school and middle school students who were offered, sold, or given drugs on school property in the past 12 months. | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |
| High school Marijuana data | <ul style="list-style-type: none"> • Had ever used Marijuana • Have used Marijuana in the past 30 days • Started using Marijuana before the age 13 • Used any illegal drugs besides Marijuana in the past 12 months | | | |

| Health Behaviors | | | | |
|---|--|-----------|---|---|
| Poster Title/Theme: Reproductive & Sexual Health | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Sexually Transmitted Infections (STI) Rate | The rate of sexually transmitted infections for males and female residents ages 15-24. | 2016-2021 | Wisconsin DHS | Custom report requested from DHS |
| Birth Rate | Women age 15-50 with a birth in the past year, per 1,000 women age 15-50. Does not include births to women below age 15. | 2012-2021 | Metop.io | https://metop.io/i/5v7gnx9x |
| The percent of high school students who participate in sexual intercourse that used a condom. | The percent of high school students who participate in sexual intercourse that used a condom their last time. | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |
| The percent of high school students who are sexual active that used no birth control. | The percent of high school students who are sexual active that used no birth control during their last sexual intercourse. | | | |
| Student Sexual Activity | The percent of high school and middle school students who have ever had sexual intercourse. | | | |

**Oneida County Health Department
Community Conversation Posters Sources Page**

| Graph Title | Description | Year | Source | Link/Location |
|---|---|-----------|----------|---|
| Adolescent Pregnancy | The rate of adolescent pregnancies for females ages 15-19 per 1,000 births. | 2016-2020 | DHS WISH | WISH Query: Teen Births Module (Percent of Births to Teens) Wisconsin Department of Health Services |
| Tobacco Use of women during pregnancy | The percent of pregnant women who have used tobacco during their pregnancy. | 2016-2020 | DHS WISH | https://dhs.wisconsin.gov/wish/birth/form.htm |
| Abstinence from smoking in pregnant women | The percent of pregnant women who were abstinent from cigarette smoking. | 2016-2020 | DHS WISH | https://dhs.wisconsin.gov/wish/birth/form.htm |

| Health Behaviors | | | | |
|--|---|-----------|--------------------------------|---|
| Poster Title/Theme: Injury Prevention | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Injury-related emergency department visits | Visits to an emergency department with any ICD-10 diagnosis or external-cause code related to injury, including from assaults, firearms, poisoning (including drug poisoning), self-harm, traumatic brain injuries, falls, burns, and motor vehicle injuries, among others. | 2016-2019 | Metop.io | https://metop.io/i/hpxtbegs |
| Visits for fall injuries | The number of emergency department and hospital visits. | 2016-2021 | DHS WISH | https://dhs.wisconsin.gov/wish/injury-ed/query.htm https://dhs.wisconsin.gov/wish/injury-hosp/query.htm |
| Falls deaths at home or nursing facility | The number of falls deaths at home or at a nursing facility taken on by the Oneida County medical examiner. | 2016-2022 | Oneida County Medical Examiner | Annual Medical Examiners Report |
| The top 5 injury related visits | The top 5 injury related visits to the emergency department and hospital. | 2016-2021 | DHS WISH | https://dhs.wisconsin.gov/wish/injury-hosp/query.htm WISH Query: Injury-Related Emergency Department Visits (2016+) Wisconsin Department of Health Services |
| Unintentional injury mortality | Deaths per 100,000 residents with an underlying cause of unintentional injury, excluding motor vehicle injuries | 2015-2021 | Metop.io | |
| Crash data | The total number of crashes, number of crash deaths/fatalities, number of injuries, and number of deer crashes. This data included the following crash severities: fatality, suspected serious injury, suspected minor injury, possible injury, and no apparent injury. | 2018-2022 | Community Maps-Crash | https://transportal.cee.wisc.edu/partners/community-maps/crash/search/BasicSearch.do?sessionId=1657AF5F71ED562CB3783DC1BB34B50F |
| Causes of motor vehicle fatalities | The different types of vehicle crashes that were reported causes of motor vehicle deaths. | 2018-2022 | Oneida County Medical Examiner | Annual Medical Examiners Report |

| Health Behaviors | | | | |
|--|--|------|---|---|
| Poster Title/Theme: Injury Prevention | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| LBGTQ+ students who experience bullying on school property | The percent of LBGTQ+ high school students who experience bullying on school property. | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |
| Suicide attempts by students | The percent of LBGTQ+ high school students, high school, and middle school students who attempted suicide. | | | |
| Suicide plans by students | The percent of high school and middle school students who: <ul style="list-style-type: none"> Made a plan for a suicide attempt Intentionally self-harmed without intending to die Seriously considered suicide | | | |

**Oneida County Health Department
Community Conversation Posters Sources Page**

| Graph Title | Description | Year | Source | Link/Location |
|---------------------------------------|--|-----------|--------------------------------|---|
| Self-harm emergency department visits | The rate of nonfatal intentional self-harm emergency department visits per 100,000 people. | 2016-2021 | DHS WISH | https://dhs.wisconsin.gov/wish/injury-hosp/query.htm |
| Suicide deaths | The number of suicide deaths that were taken on by the Oneida County medical examiner. | 2016-2022 | Oneida County Medical Examiner | Annual Medical Examiners Report |

| Health Behaviors | | | | |
|---|--|-----------|--|--|
| Poster Title/Theme: Nutrition & Healthy Eating | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| High school students who ate fruits/vegetables every day | The percent of high school students who ate fruits and vegetables every day for the 7 days. | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |
| Adults meeting the recommended fruit and vegetables intake amount | The percent of adults in Wisconsin that are meeting the recommended fruit and vegetable intake amount. | 2019 | Behavioral Risk Factor Surveillance System (BRFSS) | Adults Meeting Fruit and Vegetable Intake Recommendations — United States, 2019 MMWR (cdc.gov) |
| Food Environment Index | Index of factors that contribute to a healthy food environment, from 0 (worst) to 10 (best). | 2019 | Metop.io | https://metop.io/i/9h1touop |
| Free school lunch eligibility | Percentage of students in public schools who are eligible for free lunch. The National School Lunch Program (NSLP) is a federally assisted meal program operating in public and nonprofit private schools and residential child care institutions, providing nutritionally balanced, low-cost or free lunches to children each school day. Data is based on the date of the start of the school year | 2015-2021 | Metop.io | https://metop.io/i/q3srjda |
| Student breakfast consumption | The percent of high school and middle school students who: <ul style="list-style-type: none"> Ate breakfast every day (7 days) Ate breakfast less than half the time (0-3 days) | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |
| Students eligible for free and reduced lunches | The percent of students from all districts that are eligible for free and reduced lunches. | 2022 | WISEdash | Program Statistics Wisconsin Department of Public Instruction |

| Health Behaviors | | | | |
|---|--|-----------|---|---|
| Poster Title/Theme: Physical Activity & Sleep | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Sleeping less than 7 hours | Percent of resident adults aged 18 and older who report usually getting insufficient sleep (<7 hours for those aged ≥18 years, on average, during a 24-hour period). | 2017-2020 | Metop.io | https://metop.io/i/9fgeh1b3 |
| No exercise | Percent of resident adults aged 18 and older who answered “no” to the following question: “During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?” | 2015-2020 | Metop.io | https://metop.io/i/g7haj8xz |
| High school students who get 8+ hours of sleep | The percent of high school students who get 8+ hours of sleep per night. | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |
| High school students who report 5 or fewer hours of sleep | The percent of high school students who report 5 or less hours of sleep per night. | | | |
| No physical activity | Percentage of adults age 18 and over reporting no leisure-time physical activity (age-adjusted). | 2022 | County Health Rankings and Roadmaps | https://www.countyhealthrankings.org/explore-health-rankings/compare-counties?compareCounties=55085%2C55125%2C55041%2C55000&year=2022 |

**Oneida County Health Department
Community Conversation Posters Sources Page**

| Graph Title | Description | Year | Source | Link/Location |
|-----------------------------------|--|------|---|---|
| Student exercise in the past week | The percent of high school and middle school students who: <ul style="list-style-type: none"> Exercised zero days in the past week Exercised 4-7 days in the past week | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |

| Health Behaviors | | | | |
|---|---|-----------|---|---|
| Poster Title/Theme: Tobacco Use | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Students who have ever tried tobacco products | The percent of high school and middle school students who have ever used cigarettes, chew, cigars or cigarillos. | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |
| High school students who tried to quit vaping or other tobacco products | The percent of high school students who tried to quit vaping or other tobacco products in the past 12 months. | | | |
| Vaping among students | The percent of high school and middle school students who: <ul style="list-style-type: none"> Used vaping products in the past 30 days Have ever tried vaping | | | |
| Cigarette smoking prevalence | Percent of resident adults aged 18 and older who report having smoked at least 100 cigarettes in their lifetime and currently smoke every day or some days. Age-standardized. | 2015-2020 | Metop.io | https://metop.io/i/xuyavw7i |
| Current adult smokers | Percentage of adults who are current smokers (age-adjusted). | 2022 | County Health Rankings and Roadmaps | Compare Counties County Health Rankings & Roadmaps |

| Health Behaviors | | | | |
|--|---|-----------|---|---|
| Poster Title/Theme: Violence Prevention | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Students who reported missing school because of feeling unsafe/safety concerns | The percent of high school and middle school students who reported missing school because of feeling unsafe/safety concerns either at school or in route to school. | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |
| High school students who agree or strongly agree violence is a problem at their school | The percent of high school students who agree or strongly agree violence is a problem at their school. | | | |
| High school students who have been threatened with a weapon on school property | The percent of high school students who have been threatened with a weapon on school property in the past 12 months. | | | |
| Students who have been in a physical fight at school | The percent of high school and middle school students who have been in a physical fight at school in the past 12 months. | | | |
| Sexual violence among students | The percent of high school and middle school students who: <ul style="list-style-type: none"> Have ever been physically forced to have sexual intercourse. Have ever been forced to do anything sexual. Experienced sexual force by a dating partner. Experienced rape, sexual assault, or intimate partner violence. | | | |
| Vulnerable demographic index | Index of vulnerable populations, a composite of low-income, minority, age <5, age 65+, below high school education, and linguistically isolated individuals. The index is constructed using national statistics as benchmarks, and thus represents the degree to which this area has a higher proportion of vulnerable residents than the nation as a whole. Reported as a percentile rank nationally, where 0 = lowest percentage of vulnerable residents, and 100 = highest percentage of vulnerable residents. | 2015-2021 | Metop.io | https://metop.io/i/6kwisig5 |
| Child protective services reports | Reports to Child Protective Services, per 1,000 children ages 0-17. | 2017-2021 | Metop.io | https://metop.io/i/z7ard9ww |
| Violent crimes (cases) | Crimes related to violence. Includes homicide, criminal sexual assault, robbery, aggravated assault, and aggravated battery. | 2015-2021 | Metop.io | https://metop.io/i/z4o5advn |

**Oneida County Health Department
Community Conversation Posters Sources Page**

| Health Conditions | | | | |
|--|---|-----------|----------------|--|
| Poster Title/Theme: Heart Conditions/Diseases | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Residents that were told they have High Blood Pressure | Percent of resident adults aged 18 and older who report ever having been told by a doctor, nurse, or other health professional that they have high blood pressure (hypertension). Women who were told high blood pressure only during pregnancy and those who were told they had borderline hypertension were not included. | 2017-2019 | Metop.io | https://metop.io/i/o472u3og |
| Residents that were told they have Diabetes | Percent of resident adults aged 18 and older who report ever having been told by a doctor, nurse, or other health professional that they have diabetes, other than diabetes during pregnancy. Data for counties and states are age-adjusted. Data for zips, tracts and smaller layers are raw. | 2017-2019 | Metop.io | https://metop.io/i/ommqc2fk |
| Residents that were told they have High Cholesterol | Percent of resident adults aged 18 and older who report ever having been told by a doctor, nurse, or other health professional that they have high cholesterol. Data for counties and states are age-adjusted. Data for zips, tracts and smaller layers are raw. | 2017-2019 | Metop.io | https://metop.io/i/oa5uwj6x |
| Heart failure hospitalizations in 65+ adults | Heart failure hospitalizations for adults 65+ measured per 1,000 adults. | 2016-2020 | CDC: DHDSAtlas | Interactive Atlas of Heart Disease and Stroke Tables (cdc.gov) |
| Diagnosed stroke | Percent of resident adults aged 18 and older who report ever having been told by a doctor, nurse, or other health professional that they have had a stroke. | 2018-2020 | Metop.io | https://metop.io/i/qafdqawd |
| Coronary heart disease | Percent of resident adults aged 18 and older who report ever having been told by a doctor, nurse, or other health professional that they have angina or coronary heart disease. | 2018-2020 | Metop.io | https://metop.io/i/6ijctn7h |
| Stroke mortality | Deaths per 100,000 residents due to stroke. | 2015-2021 | Metop.io | https://metop.io/i/3iy6ptbt |
| Heart disease mortality | Deaths per 100,000 residents with an underlying cause of heart disease. | 2015-2021 | Metop.io | https://metop.io/i/vdod6fco |

| Health Conditions | | | | |
|--|--|-----------|--------------------------------|--|
| Poster Title/Theme: Cancer | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Cancer incidence rates for: Lung, Oral, Colorectal, Prostate, and Breast | Incidence rate/rate of new cancers per 100,000 people of all ages, all races and ethnicities, male and female. For lung, oral, colorectal, prostate, and breast cancers. | 2015-2019 | United States Cancer Statistic | USCS Data Visualizations - CDC |
| Cancer diagnoses | The rate of all new cancer diagnoses per 100,000 people of all ages, all races and ethnicities, male and female. | | | |
| Cancer mortality | The rate of all cancer deaths per 100,000 people of all ages, all races and ethnicities, male and female. | | | |
| Lung cancer mortality | The rate of lung cancer deaths per 100,000 people of all ages, all races and ethnicities, male and female. | | | |

| Health Conditions | | | | |
|--|--|-----------|----------|---|
| Poster Title/Theme: Health Conditions Disabilities | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Cognitive difficulty | Percent of residents reporting a cognitive difficulty. | 2012-2021 | Metop.io | https://metop.io/i/v89zw9b9 |
| Self-care difficulty | Percent of residents reporting difficulty dressing or bathing. | 2012-2021 | Metop.io | https://metop.io/i/sng51n3k |
| Hearing difficulty | Percent of residents reporting a hearing difficulty. | 2012-2021 | Metop.io | https://metop.io/i/3nejy3tc |
| Vision difficulty | Percent of residents reporting a vision difficulty. | 2012-2021 | Metop.io | https://metop.io/i/v3fw1aqv |

**Oneida County Health Department
Community Conversation Posters Sources Page**

| Health Conditions | | | | |
|--|--|-----------|---|--|
| Poster Title/Theme: Mental Health | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Top 3 most used services in the Tri-county | The top three most used services in the Tri-county for the last six years. | 2016-2021 | DHS: County Services Dashboard | Mental Health: County Services Dashboard Wisconsin Department of Health Services |
| Students who could turn to at least one adult | The percent of high school and middle school students who could turn to at least one adult besides parents. | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |
| Students who had experienced significant problems with anxiety | The percent of high school and middle school students who had experienced significant problems with anxiety in the past 12 months. | | | |
| Students who experienced prolonged, disruptive sadness | The percent of high school and middle school students who experienced prolonged, disruptive sadness in the past 12 months. | | | |
| LBGTQ+ high school students that have any mental health concerns | The percent LBGTQ+ high school students that have any mental health concerns in the past 12 months. | | | |
| Students who experienced bullying either at school, online, or in both forms | The percent of high school and middle school students who experienced bullying either at school, online, or in both forms in the past 12 months. | | | |
| Average number of mentally unhealthy days | Average number of mentally unhealthy days reported in past 30 days (age-adjusted). | 2016-2022 | County Health Rankings and Roadmaps | Compare Counties County Health Rankings & Roadmaps |
| Poor self-reported mental health | Percent of resident adults aged 18 and older who report 14 or more days during the past 30 days during which their mental health was not good. | 2017-2020 | Metop.io | https://metop.io/i/x5v3fwy |

| Health Conditions | | | | |
|--|--|-----------|---|---|
| Poster Title/Theme: Other Health Conditions | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Adults that visited a dentist or dental clinic | Visits to dentist or dental clinic among adults ages 18 and older. | 2020 | CDC-PLACES (BRFSS) | PLACES: Local Data for Better Health, County Data 2022 release Chronic Disease and Health Promotion Data & Indicators (cdc.gov) |
| High school students that saw a dentist | The percent of high school students that saw a dentist in the past year. | 2021 | Youth Behavior Risk Surveillance Survey (YRBSS) | Wisconsin Youth Risk Behavior Survey Wisconsin Department of Public Instruction |
| Adults 65+ that have lost all their teeth | Percent of resident adults aged 65 and older who report having lost all of their natural teeth because of tooth decay or gum disease. | 2020 | Metop.io | https://metop.io/i/3poc287 |
| Chronic obstructive pulmonary disease (COPD) | Percent of resident adults aged 18 and older who report ever having been told by a doctor, nurse, or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema, or chronic bronchitis. | 2018-2020 | Metop.io | https://metop.io/i/n67sbsvz |
| Obesity | Percent of resident adults aged 18 and older who are obese (have a body mass index (BMI) ≥ 30.0 kg/m ² calculated from self-reported weight and height). Excludes those with abnormal height or weight and pregnant women. | 2002-2020 | Metop.io | https://metop.io/i/2ndry8o |
| Arthritis | Percent of resident adults aged 18 and older who report having been told by a doctor, nurse, or other health professional that they had arthritis. | 2018-2020 | Metop.io | https://metop.io/i/vywif3k3 |
| Hospitalized number of hip fractures | The number of hospitalizations for hip fracture among those with an unintentional fall-related injury (ages 65 and older only). | 2016-2021 | DHS: WISH | WISH Query: Injury-Related Hospitalizations (2016+) Wisconsin Department of Health Services |

Oneida County Health Department
Community Conversation Posters Sources Page

| Demographic | | | | |
|---------------------------------|--|-----------|---------------|---|
| Poster Title/Theme: Demographic | | | | |
| Graph Title | Description | Year | Source | Link/Location |
| Race & Ethnicity | Race and ethnicity comparing the county and survey populations | 2017-2021 | Census Bureau | https://censusreporter.org/profiles/05000US55085-oneida-county-wi/#geographical-mobility |
| Gender | Sex identification comparing the county and survey populations | | | |
| Median household income | Household Income in the Past 12 Months (In 2021 Inflation-adjusted Dollars) | | | |
| Language | Language comparing the county and survey populations | | | |
| Marital status | Marital status comparing the county population and the survey population | | | |
| Employment | Employment status, currently in the labor force. Comparing the county and survey populations | | | |
| Age | Age population comparing the county and survey populations | | | |
| Education | Education attainment comparing county and survey populations | | | |