



Recreational Educational Camp Inspection Report

Establishment Information	
Facility Name CLEARWATER CAMP	Facility Type Recreational/Educational Camp (RRE)
Facility ID # SYOG-7QRVRA	Facility Telephone # 715 358-5836
Facility Address	
Licensee Name CLEARWATER CAMP INC	Licensee Address

Inspection Information		
Inspection Type Routine	Inspection Date July 14, 2022	Total Time Spent

Equipment Temperatures	
Description walk-in cooler meat	Temperature (Fahrenheit) 37
walk-in cooler rte	36

Food Temperatures	
Description brats cold hold	Temperature (Fahrenheit) 37
hamburger cold hold	36

Warewashing Info					
Machine Name dishwash	Sanitization Method high temp	Thermo Label passed	PPM	Sanitizer Name	Sanitizer Type

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations
Total # 1
Good Retail Practices - 53 - Toilet facilities: properly constructed, supplied and cleaned
OBSERVATION: No lid provided for garbage in employee restroom.
CORRECTIVE ACTION(S): Provide a lid for the garbage in employee restroom for sanitary purposes. Correct By: 28-Jul-2022
CODE CITATION: 5-501.17 A toilet room used by females shall be provided with a covered receptacle for sanitary napkins.

Comments:

[CFPM Joseph Sandone, exp 1/13/2026, ServSafe](#)

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

Sanitarian



Bill Otto



**Karrin Farrenkopf
(715) 369-6223**