



## Recreational Educational Camp Inspection Report

### Establishment Information

Facility Name <b>RED PINE CAMP FOR GIRLS</b>	Facility Type Recreational/Educational Camp (RRE)
Facility ID # <b>SYOG-7QRVR3</b>	Facility Telephone # 715 356-6231
Facility Address  Licensee Name <b>RED PINE CAMP FOUNDATION, INC</b>	Licensee Address

### Inspection Information

Inspection Type Routine	Inspection Date June 28, 2022	Total Time Spent
----------------------------	----------------------------------	------------------

### Equipment Temperatures

Description	Temperature (Fahrenheit)
Several reach in freezers in maintenance area	
2-door True cooler air	41
Walk-in cooler air	41
2-door freezer air	0

### Food Temperatures

Description	Temperature (Fahrenheit)
butter cold hold	41
pasta cold hold	41

### Warewashing Info

Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishwash	high temp	passed	400		quat
Wiping Cloth					

**OPERATOR** - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

### Observed Violations

**Total # 3**

**Good Retail Practices - 48 - Warewashing facilities: installed, maintained, & used: test strips**  
**OBSERVATION:** No thermo labels provided to check final surface temperature of high temperature dishwash machine.  
**CORRECTIVE ACTION(S):** Provide thermo labels. Warewashing machine shall be equipped with a temperature measuring device that measures the temperature of water in the wash and rinse tank, the incoming water for hot water sanitizing or water in the chemical sanitizing tank Correct By: 28-Jun-2022  
**CODE CITATION:** 4-204.115 A WAREWASHING machine shall be equipped with a TEMPERATURE MEASURING

DEVICE that indicates the temperature of the water:

(A) In each wash and rinse tank; [Pf] and

(B) As the water enters the hot water SANITIZING final rinse manifold or in the chemical SANITIZING solution tank. [Pf]

**Risk/Intervention - 28 - Toxic substances properly identified, stored and used; held for retail sale, properly stored**  
**This is a Critical violation**

**OBSERVATION:** Quat sanitizer level for sanitizer bucket above 400ppm.

**CORRECTIVE ACTION(S):** Use mounted quat sanitizer provided by compartment sinks to fill wiping cloth sanitizer buckets. Sanitizer concentration level should be 250-400ppm or per manufacturer instructions. Sanitizer shall meet the requirements under 40 CFR 180.940 or 40 CFR 180.2020. Correct By: 28-Jun-2022

**CODE CITATION:** 7-204.11 Chemical SANITIZERS, including chemical sanitizing solutions generated on-site, and other chemical antimicrobials applied to FOOD-CONTACT SURFACES shall:

(A) Meet the requirements specified in 40 CFR 180.940 Tolerance exemptions for active and inert ingredients for use in antimicrobial formulations (FOOD-CONTACT SURFACE SANITIZING solutions) [P], or

(B) Meet the requirements as specified in 40 CFR 180.2020 Pesticide Chemicals Not Requiring a Tolerance or Exemption from Tolerance-Non-food determinations. [P]

**OBSERVATION:** Unused archery equipment is not stored securely. Bows and arrows are left out when staff went to lunch and rest time.

**CORRECTIVE ACTION(S):** Secure and lock all archery equipment when not in use Correct By: 28-Jun-2022

**CODE CITATION:** ATCP 78.18(3) (c) No firearms or archery equipment are permitted in a camp except for use in an organized and supervised camp activity. All firearms, ammunition and archery equipment not being used shall be securely stored under lock.

**Comments:**

CFPM Hannah Ezzell, exp 1/17/2027, ServSafe

1) Ensure medication logs are printed with pre-printed page numbers.

2) Ensure key for archery storage shed is not stored outside the shed high up, but instead in the office or another secured area.


Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

Sanitarian



Connie Scholfield



Karrin Farrenkopf  
(715) 369-6223